

INDEX

- 360-degree turnout (*illus*), 3-9
- ACL, 5-2
- advisories, 3-8, 3-14 (*illus*)
- aerial delivery slings, 5-16
- air assaults, 4-10
- air control points, 2-10, 4-19
- Air Force
 - Form 3823, 6-26, 6-30 thru 6-31 (*illus*)
 - Verbally Initiated Release System, 6-18, 6-23, 6-26 (*illus*)
- air medical evacuation requests, 6-17, 6-35, 6-36 (*illus*)
- air movement table, 2-2 (*illus*)
- air routes, 2-11 (*illus*)
- air traffic control
 - establishing, 2-7
 - facilities, 2-8
 - frequencies, 2-8
 - information, 3-14, 3-17
 - numbers, 3-3, 3-4 (*illus*)
 - phrases, 2-8, 3-1, 3-3, 3-5 (*illus*)
 - positive, 2-7
 - procedures, 1-4,
 - safety, 3-1, 3-2, 3-3, 3-4, 3-7
 - spacing techniques, 3-9
 - terms, 3-3, 3-6 (*illus*)
 - visual signals, 3-11, 3-12 (*illus*)
 - voice control, 3-1
- aircraft
 - drag coefficient, 5-17
 - load limitations, 5-13
 - points of attachment, 5-10
 - separation requirements, 3-10
- airdrop, 6-1
 - airspeeds, 5-17, 6-1 (*illus*)
 - altitudes, 6-3
 - drop altitudes, 6-1
 - markings, 6-27
 - methods of delivery, 6-2
 - obstacles, 6-4
 - resupply and reinforcement missions, 6-26
- airdrop (continued)
 - static line, 6-11
 - surface wind limits, 6-17
 - tactically assessed drop zones, on, 6-27, 6-34 (*illus*)
- airlifting. *See* artillery
- allowable cargo load (ACL), 5-2
- alternate landing sites, 4-4
- altitudes,
 - density, 4-4
 - drop, 6-1, 6-2 (*illus*), 6-3, 6-9
 - terrain flight, 3-17
- AMC Form 168, 6-29, 6-35, 6-36 (*illus*)
- anemometer, AN/PMQ 3A, 6-11, 6-14, 6-16
- approach path, 4-27, 4-30, 6-8
 - direction, 4-2
 - escape routes from, 4-30
 - final, 3-2, 3-7 (*illus*)
 - night, 4-2, 4-24
 - obstacles, 4-27, 4-30, 6-4
 - prevailing wind, 4-3
 - routes, 6-8
 - terrain contour, 4-30
 - vertical air currents, 4-30
- arrival record, A-1, A-3 (*illus*)
- artillery
 - airlifting, 4-18, 5-15 thru 5-16
 - coordination, 1-2, 2-3
 - displacement, 2-2, 2-8
 - firing, 3-8
- assault
 - air, 1-1, 2-6, 4-5, 4-10, 4-29
 - combat, 2-4
 - daylight, 2-6
 - echelon, 2-4
 - initial, 4-14
 - night, 2-7, 4-11 thru 4-17 (*illus*)
- assault zone availability report (AZAR), 6-1, 6-26
- assembly
 - aids, 1-3, 2-1, 4-9, 4-11
 - points, initial, 4-11

- AZAR. *See* assault zone availability report
- base leg (approach), 3-8
- briefing
- aids, 2-1
 - aircrew mission briefing, 6-20
 - DZST, 6-20
 - final, 2-5
 - initial preparation, 2-1
 - landing site party, 4-9
 - operation plan, A-1
 - pathfinder, 2-2
 - planning, A-1
 - site team leader, 4-9
 - weather and operational, 2-5
- brownouts, 5-24
- capabilities, pathfinder, 1-1
- cargo
- bag, A-22, 5-4 (*illus*), 5-5 (*illus*)
 - containers, 5-4
 - emergency release, 5-24
 - hooks, 5-5, 5-13 thru 5-16, 5-15 (*illus*)
 - attaching, 5-16, 5-24
 - grounding, 5-20, 5-22
 - positioning, 5-22
 - load, allowable, 5-2, 5-13
 - nets, 5-4 (*illus*)
 - straps, 5-9
 - tie-downs, 5-9, 6-12
 - “V” formation, 4-14 (*illus*)
- CARP. *See* computed air release point
- clearance, 3-5 (*illus*)
- departure, 4-21
 - final, 3-2
 - horizontal, 4-4
 - instructions, 3-1
 - landing, 3-10
 - obstacles, 4-5
 - phrases, 3-5
 - pilot authority, 3-2
 - ratio, 6-20, 6-22 (*illus*)
- clearance (continued)
- to drop, 6-18
 - to ground level, 4-4
- closed traffic, 3-8
- cold weather, 4-23
- communications
- checkpoint, 4-18
 - code letters, 6-28
 - cold weather, 4-23
 - compatibility, 2-8
 - desert, 4-27
 - enemy interception, 1-3
 - equipment, 1-2
 - formats, 3-2
 - GTA, 1-1, 1-3, 2-9, 2-10, 3-11, 4-9
 - jungle, 4-26
 - mountain, 4-26
 - radio, 2-8, 4-7
 - security, 1-4
 - terrain, 4-9
- computed air release point (CARP) drop zone
- Air Force, 6-4, 6-24
 - container delivery system (CDS), 6-5
 - markings, 6-15, 6-27
 - personnel, 6-5
 - raised-angle marker, 6-12
 - release point, 6-29
 - single jumper, 6-4
 - sunset to sunrise, 6-5
- conduct of operations, 2-6
- container delivery system, 6-5 (*illus*)
- contour, terrain, 4-30
- control
- center, 2-10, 4-1, 4-5, 4-7, 4-18, 6-16, 6-17, 6-35
 - log, 6-29, 6-37 (*illus*)
- coordination
- air movement phase, 4-5
 - air movement table, 2-2 (*illus*)
 - checklist, 6-13, 6-15 (*illus*)
 - electronic warfare, 3-11
 - final, 2-4, 2-5
 - linkup with supported unit, 2-4
 - premission, 6-16
- coordination (continued)
- release point, 4-5
 - signals, 6-18
 - times, 2-1

- troop-leading procedures, A-4
- warning order, 2-1
- DA Form 7461-R, Internal Net Record, 4-7, 4-8 (*illus*)
- danger statements. *See also* safety, warnings
- daylight assault. *See* assaults
- debriefing, 6-35
- density altitude, 4-4
- departure
 - advisory, 3-14
 - clearance, 4-21
 - directions, 4-2
 - instructions, 3-15
 - night, 4-2
 - obstacles, 4-4, 4-27
 - prevailing wind, 4-3
 - record, A-1, A-3 (*illus*)
 - routes, 6-8, 6-30
 - time, A-3
- decentralized operations, 2-5
- desert terrain, 4-27
- direction-finding systems, enemy, 1-3, 1-4
- distress marker, aerial, 6-12
- drift scale, 6-12
- drop altitude, 6-1, 6-2 (*illus*), 6-3, 6-9
- drop zone
 - control records, A-1, A-3 (*illus*)
 - coordination checklist, 6-13, 6-15 (*illus*)
 - placement, 6-27
 - selection factors
 - access, 6-4
 - airdrop airspeed, 6-1 (*illus*)
 - approach and departure routes, 6-8
 - delivery method, 6-2
 - departure clearance, 4-21
 - drop altitude, 6-1, 6-2 (*illus*)
- drop zone (continued)
 - estimation of time, 6-2, 6-7 thru 6-8 (*illus*)
 - obstacles, 6-4
 - size, 6-4 (*illus*), 6-5 thru 6-6
- support team (DZST)
 - coordination checklist, 6-13, 6-15 (*illus*)
 - equipment, 6-16, 6-18
 - leader, 6-1, 6-9, 6-11, 6-13
 - mission, 6-9, 6-10, 6-18, 6-26, 6-31
 - organization, 6-9
 - support requirements, 6-13
 - team leader's duties, 6-1, 6-9, 6-11, 6-13
 - survey, 6-15, 6-26, 6-30 thru 6-33 (*illus*)
 - tactically assessed, 6-27, 6-34 (*illus*)
- DZST. *See* drop zone
- emergency
 - in-flight, 3-15
 - lighting, vehicle headlights as, 4-21, 4-22 (*illus*)
- employment, 1-1
- environment
 - cold weather, 4-23
 - desert terrain, 4-27
 - high-threat, 2-10, 2-11 (*illus*)
 - jungle terrain, 4-25
 - mountains, 4-28
- equipment, 1-2
 - assembly aids, 1-3, 2-1, 4-9, 4-11
 - communications, 1-2
 - DZST, 6-16, 6-18
 - external loading, 5-2
 - final check, 2-4
 - heavy, 6-5, 6-6 (*illus*)
- escape routes, 4-30
- estimate of the situation, A-4
- extension, traffic pattern, 3-9, 3-10 (*illus*)
- external loads, 4-21, 5-2
- extraction, 2-7, 6-26, 6-29, 6-35
- final
 - glide, 3-10
 - landing instructions, 3-10, 3-15
 - leg, 3-8
 - preparation, 2-4

flight

formations, 2-2 (*illus*), 3-10, 4-1, 4-2 (*illus*), 4-10, 4-19, 4-21, 4-23, 6-5, 6-6 (*illus*), 6-13, 6-15 (*illus*)

monitoring, 2-11

techniques, 4-19 (*illus*)

format, example,

control record, A-3

operation plan, A-2

formations, “V” type, 4-14 (*illus*)

forms

AMC Form 168, 6-29, 6-35, 6-36 (*illus*)

DA Form 7461-R, Internal Net Record, 4-7, 4-8 (*illus*)

MAC Form 339, 6-26, 6-32 thru 6-33 (*illus*)

formulas

D=KAV, 6-9

D=RT, 6-7

T=D/R, 6-8

forward throw, 6-8, 6-12 (*illus*)

glide path, final, 3-10

“go-around,” 3-8

ground

slope, 4-1

tactical plan, A-4

-to-air (GTA), 3-11, 4-6, 6-11

communications, 3-12, 4-26, 4-29

net, 3-13, 4-20

radio, 4-7, 4-20, 4-24

transmissions, 3-13, 3-14 (*illus*)

ground crew

duties, 5-22

emergency procedures, 5-18, 5-21

equipment, 5-18

evacuation, 5-24

ground-marking release system, 6-19

control center, 6-18

drop zone, 6-6

formula D=RT, 6-7

formula T=D/R, 6-8,

parachutists or bundles, 6-6,

release point, 6-18

helicopters

AH-1S (Cobra), B-3 (*illus*)

AH-64A (Apache), B-4 (*illus*)

CH-47B/C (Chinook), B-7 (*illus*)

CH-47B/D (Chinook), B-8 (*illus*)

OH-58D (Kiowa), B-1 (*illus*)

OH-6A (Cayuse), B-2 (*illus*)

UH-1H (Iroquois), B-5 (*illus*)

UH-60A (Black Hawk), B-6 (*illus*)

hitches, 5-2, 5-3 (*illus*)

hookup and release, 5-18

emergency conduct, 5-24 thru 5-25

equipment, 5-4, 5-18 thru 5-21, 5-19 (*illus*)

ground crew duties, 5-22, 5-23 (*illus*)

protective measures, 5-18, 5-19 (*illus*)

static discharge wand, 5-20, 5-22

hookup personnel, 5-17, 5-23

horizontal clearance, 4-4, 6-20, 6-23 (*illus*)

initial

assembly points, 4-11

contact, 3-13, 4-7

elements, 4-14

preparation, 2-1

insertion, 2-6

intercept heading, 4-9, 4-15, 4-18 (*illus*)

Internal Net Record (DA Form 7461-R), 4-7, 4-8 (*illus*)

internal net recorder (INR), 4-7, 4-8 (*illus*), 4-20

inverted “Y,” 4-10, 4-21, 4-22 (*illus*), 4-24

jungle terrain, 4-25

landing

advisory, 3-8, 3-14

clearance, 3-5 (*illus*)

formation(s), 4-1

instructions, 3-10, 3-15, 4-10

plan, A-4

points, 3-13, 3-15, 4-1, 4-4, 4-6 (*illus*), 4-13, 4-15 (*illus*), 4-24, 4-28, 5-1

requirements, minimum, 4-4

separation requirements, 3-11, 3-12 (*illus*)

- taxiing instructions, 3-10
- landing site
 - alternate, 4-4
 - approach and departure directions, 4-2
 - attached personnel, duties of, 4-6, 4-9
 - choosing, 4-1
 - communications, 4-9
 - checkpoint, 4-18
 - control center, 4-1, 4-5, 4-7, 4-18, 6-16, 6-17, 6-35
 - control records, A-1, A-3 (*illus*)
 - density altitude, 4-4
 - ground slope, 4-1, 4-3 (*illus*)
 - leader, 4-10
 - lighting, 4-10, 4-17 (*illus*)
 - loads, 4-4
 - marking, 4-11 thru 4-15 (*illus*), 5-21
 - party, 4-5
 - patterns, 6-19
 - multiple, 4-24
 - obstacles, 4-4, 4-9, 4-10, 4-27, 4-30, 6-4
 - operations, 4-9, 4-18
 - party, 4-7
 - prevailing wind, 4-3
 - security personnel, 4-20
 - size, 4-1
 - sling loads, 4-13 (*illus*)
 - symbols, 4-17 (*illus*)
 - “V” formation, 4-14 (*illus*)
- landing zone. *See* landing site
- leg (approach), 3-8
- liaison, 2-2, 2-7, 3-13
- light
 - AN/PRC-77, 6-5
 - baton (M-2), 6-12, 6-16
 - emergency, 4-21, 4-22 (*illus*)
 - gun, SE-11, 6-12
 - marker, 6-12
 - signals, 3-12 (*illus*)
 - Whelen, 6-12, 6-16
- limitations, pathfinder, 1-2
- linkup, 2-4, C-2
- load
 - external, 4-21, 5-2
 - limitations, aircraft (ACL), 5-2
 - plan, A-4
 - sling, 4-13 (*illus*)
- MAC Form 339, 6-26, 6-32 thru 6-33 (*illus*)
- marking pattern, 6-19
- mask clearance, 6-21
- mean effective wind
 - documenting, 6-35
 - drift scale, 6-13
 - measuring, 6-7, 6-13
 - PIBAL, 6-13
 - transmitting, 6-24
- medical
 - evacuation (MEDEVAC), 6-35
 - patient category of precedence, 6-37
- metal air items, 5-2, 5-10
- method of delivery, 6-2
- minimum separation requirements, 3-11
- mirror, signaling, 1-3, 6-12, 6-16
- mobility, 4-29
- mountains, 2-11, 4-28, 4-29
- movement overland, 2-6
- multiple
 - helicopter operations, 4-23, 4-29
 - landing sites, 4-24
- NATO landing “T,” 4-21, 4-22 (*illus*)
- navigation, 4-24, 4-27, 4-29
 - aids, 1-2, 1-3, 4-17, 4-19, 4-20
- nets and containers, 5-4
- night
 - assault. *See* assaults
 - emergency lighting, 4-21, 4-22 (*illus*)
 - external loads, 4-15, 4-21, 4-25, 5-2
 - formations, 6-18
 - insertion by parachute, 2-5
 - lighting unit, 6-13
 - multihelicopter operations, 4-23, 4-29
 - night vision goggles, 1-3, 4-23, 6-16, 6-35
 - obstacles, marking, 4-10
 - operations, 2-6, 4-20, 6-9
 - pilot balloon (PIBAL), 6-7, 6-10 and 6-11 (*illus*)
 - rotary-wing aerial delivery, 6-3 (*illus*)

- signals, 4-19
- tactical landing lights, 4-20,
- touchdown point markings, 4-21, 4-22
(*illus*), 4-24
- night vision goggles, 1-3, 4-23, 6-16, 6-35
- numbers, transmittal of, 3-3, 3-4 (*illus*)
- obstacles
 - advisory, 3-14
 - air assaults, 4-10
 - approach, 2-2, 3-4, 4-2, 4-5, 4-6, 4-30, 6-8
 - clearance, 4-5, 4-6, 4-27, 6-4
 - communications, 3-13, 4-10
 - checkpoint, 4-18
 - GTA, 4-6
 - control center, 4-6
 - coordination, 2-3
 - departure, 2-2, 3-8, 3-14, 4-21, 4-30, 6-8
 - duties, 4-5, 4-9, 4-10, 6-17
 - external loads, 4-21, 5-2
 - hovering, 4-5
 - jungle, 4-27
 - landing point, 4-4
 - landing site
 - access, 6-4
 - assessment, 4-29
 - layout, 4-10
 - ratio, 4-4
- obstacles (continued)
 - landing site
 - ratio, 4-4
 - removal criteria, 4-4
 - selection, 4-9
 - team leader, 4-7
 - landing zones, 4-4
- obstacles
 - marking, 2-3, 4-10, 6-15, 6-20
 - navigation, 4-27
 - night assaults, 2-7
 - ratio, 4-4, 4-27
 - reconnaissance, 6-17
 - removing, 1-2, 2-4
 - snow, 4-24
 - spacing between loads, 5-1
 - terrain contour, 4-30
 - to equipment, 6-4
 - to personnel, 6-4
 - types
 - power lines, 6-4
 - trees, 6-4
 - water, 6-4
- operations
 - decentralized, 2-5
 - ground. *See* support of ground operations
 - landing site, 4-9, 4-18
 - landing zone, 4-9, 4-18
 - mixed, 2-8
 - multihelicopter, 4-23, 4-29
 - night. *See* night operations
 - plan, format, A-1, A-2 (*illus*)
 - plan, tentative, A-4
 - stay-behind, 2-6
- organization
 - combat, 2-5
 - DZST, 6-9
- overland movement, 2-6
- panel markers, 6-12, 6-16, 6-19, 6-21
(*illus*), 6-25
- path, final glide, 3-10
- pathfinder
 - capabilities, 1-1
 - communications, 1-3
 - control center, 4-1, 4-5, 4-7, 4-18, 6-16, 6-17, 6-35
 - duties, 2-7, 5-22
 - equipment, A-1
 - ground units, 2-10
 - initial preparation, 2-1
 - insertion, 2-5
 - internal net, 4-7
 - limitations, 1-2
 - night assault, 2-7
 - organization, 2-5, 4-1
 - stay-behind operations, 2-6
- patterns,
 - air traffic, 3-7 (*illus*)
 - legs, 3-8, 3-9 (*illus*)
 - marking, 6-19

- ul style="list-style-type: none;">
- personnel drops, 6-6 (*illus*)
- phrases, air traffic control, 3-3, 3-5 (*illus*)
- PIBAL. *See* pilot balloon
- pilot advisories, 3-8, 3-14 (*illus*)
- pilot balloon (PIBAL), 6-7, 6-10 (*illus*), 6-11 (*illus*), 6-13, 6-35
- planning, 2-1
 - coordination, 2-2 (*illus*)
 - checklist, 6-13, 6-15 (*illus*)
 - decentralized operations, 2-5
 - direction finding, 1-4
 - final, 2-4
 - initial preparation, 2-1
 - liaison, 2-2, 2-7, 3-13
 - linkup, 2-4, C-2
 - reorganizing, 2-1, 2-7
 - security, 1-2, 1-4, 2-2, 2-4, 2-5, 2-6, 2-7, 3-15, 4-9, 4-10, 4-14, 4-20, 4-21, 4-27, 6-37
- position of the sun, 4-30
- preparations, 2-1, 2-4
- prevailing wind, 4-3
- priority of medical care. *See* patient order of precedence
- prohibitive terrain. *See* rough terrain
- radios
 - AN/PRC-77, 6-12
 - AN/PRC-113 (Have Quick), 6-13
 - AN/PRC-119A (SINCGARS), 6-13
- raised angle marker (RAM), 6-12, 6-14 (*illus*)
- ratio
 - clearance, 6-20, 6-22 (*illus*)
 - obstacle, 4-4, 4-27
- reconnaissance party, 4-5
- release
 - point, 2-2 (*illus*), 4-1, 4-5, 4-27, 6-4, 6-16, 6-18, 6-19 (*illus*), 6-20, 6-23
 - procedures, 5-18
- reorganizing, 2-1, 2-7
- reporting points, 3-10
- rigging supplies, 5-16, 6-2, 6-36
- routes, 2-11 (*illus*),
 - approach and departure, 6-8
- safety. *See also* warnings and danger statements.
 - advisories, 3-5
 - air traffic control, 3-1
 - airdrop, 6-4
 - cargo hook, 5-20
 - cold weather, 4-25
 - continuous support, 2-8
 - desert, 4-28
 - equipment, 5-18, 5-19 (*illus*)
 - flying in formation, 4-23
 - high drag coefficient, 5-17
 - load hookup and release, 5-18
 - night vision goggles, 1-3, 4-23, 6-16, 6-35
 - obstacles, 4-10
 - straight-in approach, 3-7
- security, 1-2, 1-4, 2-2, 2-4, 2-5, 2-6, 2-7, 3-15, 4-9, 4-10, 4-14, 4-20, 4-21, 4-27, 6-37
- separation requirements, minimum,
 - between aircraft, 3-11
- signal lights, 3-14 (*illus*)
- signalman, 3-11, 4-10, 4-21, 4-24, 4-29, 5-18, 5-20
- sling load theory, 5-17
- sling load
 - equipment, 5-2, 5-9, 5-18, 5-19 (*illus*)
 - types, 5-1
 - unit responsibilities, 5-1
- sling sets
 - coupling link, 5-12(*illus*)
 - grabhook, 5-12, 5-13 (*illus*)
 - multileg, 5-8 (*illus*)
 - numbering sequence, 5-10 (*illus*)
- snow, lessening effect of, 4-24, 4-26 (*illus*)
- spacing techniques, 3-9
- staging areas, 2-7
- static discharge wand, 5-20, 5-22
- static electricity, 5-18, 5-20
- supplies, A-3, 1-2, 2-4, 2-6, 2-7, 4-1, 4-11, 4-30
 - rigging, 5-16, 6-2, 6-36

- support
 - ground operations
 - Air Force, 2-8
 - Army aviation, 2-8
 - GTA communications, 2-8 (*illus*), 2-9, 3-13 thru 3-20, 4-8
 - mixed operations, 2-8
 - terminal guidance, 2-9
 - requirements, DZST, 6-13
- supporting unit, 5-1
- surface wind, 4-3, 6-7, 6-9 (*illus*)
 - measuring, 6-11
 - monitoring, 6-17 (*illus*)
- suspended loads, 5-22, 5-24
- tactical
 - assessment, 6-26
 - instrument flight, 2-10
 - landing lights, 4-20
- taxiing, 3-10
- team
 - assignment, 1-1
 - capabilities, 1-1
 - control, 2-4
 - coordination, 4-27
 - duties, 1-1, 2-7
 - limitations, 1-2
- team (continued)
 - makeup, 1-1
- terminal guidance, 2-9
- terms, air traffic control, 3-3, 3-6 (*illus*)
- terrain, 2-11
 - communications, 4-9, 4-23, 4-25, 4-27
 - contour, 4-30
 - desert, 4-27
 - effect
 - on landing formation, 4-9
 - on wind, 3-8, 4-30
 - features, prominent, 3-15, 3-17
 - flight altitudes, 3-17, 4-20, 4-23
 - jungle, 4-25
 - models, 2-4
 - mountainous, 2-10, 4-28
 - obstacles, 4-30
 - prohibitive, 2-5
 - prominent, 3-15
 - rehearsals, 2-1
 - rough, 2-5, 2-6, 4-2, 4-4
 - snow-covered, 4-24
 - soft, 4-27
 - threat, 2-11
 - turbulence, 3-8
 - visual *illusions*, 4-29
- threat
 - environment, 2-10, 2-11 (*illus*)
 - pilot advisory, 3-14
- time over drop zone, 6-2
- touchdown point, 4-21, 4-22 (*illus*), 4-24
- traffic patterns, 3-4, 3-7 (*illus*)
 - closed, 3-8
 - communication, 3-5 (*illus*)
 - extension, 3-9, 3-10 (*illus*)
 - legs, 3-9
 - managing, 3-3
 - methods of entry into, 3-4, 3-6
 - right hand, 3-5
 - separation within, 3-9
 - size, 3-4
 - spacing, 3-9
 - standard, 3-2,
 - turnout, 3-9 (*illus*)
- training, 1-4
- turnout, 3-9 (*illus*)
- unit responsibilities, 5-1
- unloading plan, A-4
- “V” formation, 4-14 (*illus*)
- vector count, 6-24
- verbally-initiated release system (VIRS), 6-18, 6-20, 6-21 thru 23 (*illus*), 6-23, 6-24 thru 6-26 (*illus*)
- vertical air currents, 4-30
- VIRS. *See* verbally-initiated release system
- visual navigation aids, 1-2, 4-17, 4-19, 4-20
- voice control, 3-1
- VS-17 panel marker, 6-12, 6-16, 6-19, 6-20, 6-21 (*illus*)
- warning order, 2-1, A-4
- warning statements. *See also* safety and danger statements.

- evacuation, 5-25
- emergency cargo release, 5-16, 5-21, 5-24
- warning procedures, 5-25
 - frostbite, 4-25
 - tactical light set, 4-23
- weight,
 - allowable, 5-1, 5-2, 5-13
 - artillery equipment, 5-15
 - helicopter, 4-4
- weight (continued)
 - increasing or reducing, 5-17
 - lighting unit, 6-13
 - POL, 5-15, 5-16 (*illus*)
 - roundsling capacity, 5-7, 5-8 (*illus*)
 - vehicle, 5-15, 5-21 (*illus*)
- Whelen light, 6-12, 6-16
- whiteouts, 4-24
- wind, 4-2, 4-3, 4-21
 - mean effective, 6-7, 6-13
 - documenting, 6-35
 - drift scale, 6-13
 - measuring, 6-7, 6-13
 - PIBAL, 6-13
 - transmitting, 6-24
 - measuring, 6-7, 6-11
 - monitoring, 6-17 (*illus*)
 - parachute release points, 2-5
 - prevailing, 4-3
 - speed, 3-4 (*illus*)
 - surface, 4-3, 6-7, 6-9 (*illus*)
 - measuring, 6-11
 - monitoring, 6-17 (*illus*)
 - traffic pattern legs, 3-8
 - turbulence, cause of, 3-8
- wind streamer vector count, 6-24